



# ***EquiSys Cable Integrated Mounting System***

## ***Mounting Reference Guide***

Valid from January 2010

# EquiSys Cable Integrated Mounting System



---

## Content

	Page
1. General Notes .....	3
2. European Rail Mounts .....	4
3. Wall Mounts .....	5
4. Pole Mounts .....	6
5. Extension for Variable Height Arms .....	7
6. Partly Integrated Cable Management with Variable Height Arms .....	8
7. Shelves and Consoles with Drawer .....	9
8. Accessories .....	12
9. Terms of Delivery and Payment .....	14

# EquiSys Cable Integrated Mounting System



## General Notes

Each support arm system consists of (3) components:

1. Adaptation
  - 1.1 European horizontal rail DIN 25 x 10, 30 x 10, 35 x 8, 50 x 8
  - 1.2 Scandinavian rail Uniflex, Duoflex and Modura
  - 1.3 Vertical rail 10 x 25 mm
  - 1.4 Wall channel
  - 1.5 Pole/ post 20 – 40 mm or 40 – 60 mm
  - 1.6 Customer specific adaptation
  
2. Support Arm
  - 1.1 Standard
  - 1.2 Pivot
  - 1.3 Articulating
  - 1.4 Variable Height Arm

Various arm lengths available.
  
3. Monitor adaptation
  - 3.1 Bottom mounted adaptations
  - 3.2 Rear mounted adaptations (flat panels, VESA application)

Monitor adaptation with tilt and swivel function.

**Please note** that you may need a monitor-specific adapter plate for some monitors. Adapter plates are available for all manufacturers. Please ask one of our product specialists for assistance or ask for a manufacturer-specific mounting reference guide.

## Accessories

A wide range of optional accessories like cable hooks, mounts module housings or power supply holsters are available.

## Maximum Weight

The maximum weight indicated on each support arm holds a 6-fold safety factor.

## CE Mark

All CIM products are CE marked and comply with the MDD 93/ 42 ECC.



# EquiSys Cable Integrated Mounting System



## European Rail Mounts



Illustration	Part no.	Description
	65-124A-2 65-130A-2	<b>European Rail Mount Standard</b> support arm fixed at the rail plate monitor adaptation with tilt and swivel function rail clamp with quick release  DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10
	65-124A-2K 65-130A-2K	arm length 240 mm arm length 300 mm
	Uniflex, Duoflex, Modura	
	<b>European Rail Mount Pivot</b> with swivel point at the rail plate monitor adaptation with tilt and swivel function rail clamp with quick release  DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10	
	65-224A-2 65-230A-2	arm length 240 mm arm length 300 mm
	65-224A-2K 65-230A-2K	arm length 240 mm arm length 300 mm
	Uniflex, Duoflex, Modura	
	<b>European Rail Mount with Variable Height Arm</b> vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function rail clamp with quick release  DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10	
	65-430A-2	arm length 400 mm
	65-430A-2K	arm length 400 mm

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
		<b>European Rail Mount with Variable Height Arm and Extension</b> vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function rail clamp with quick release  DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10
	65-53024A-2	arm length 400 mm, extension 240 mm
	65-53030A-2	arm length 400 mm, extension 300 mm
		Uniflex, Duoflex, Modura
	65-53024A-2K	arm length 400 mm, extension 240 mm
	65-53030A-2K	arm length 400 mm, extension 300 mm

## Wall Mounts

Illustration	Part no.	Description
		<b>Wall Mount Pivot</b> to mount to CIM wall channel or existing wall channel support arm with swivel point at the wall channel monitor adaptation with tilt and swivel function
	65-224A-4	arm length 240 mm
	65-230A-4	arm length 300 mm
	65-0048	<b>Wall Channel</b> length 480 mm, including channel cover
		<b>Wall Mount with Variable Height Arm</b> to mount to CIM wall channel or existing wall channel vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function
	65-430A-4	arm length 400 mm
	65-0048	<b>Wall Channel</b> length 480 mm, including channel cover

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
	65-53024A-4	<b>Wall Mount with Variable Height Arm and Extension</b> to mount to CIM wall channel or existing wall channel vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function
	65-53030A-4	arm length 400 mm, extension 240 mm arm length 400 mm, extension 300 mm
	65-0048	<b>Wall Channel</b> length 480 mm, including channel cover

## Pole Mounts

Illustration	Part no.	Description
	65-124A-1V	<b>Pole Mount Standard</b> fixed at the pole adapter monitor adaptation with tilt and swivel function
	65-130A-1V	arm length 240 mm arm length 300 mm
	65-224A-1V	<b>Pole Mount Pivot</b> swivel point at the pole adapter monitor adaptation with tilt and swivel function
	65-230A-1V	arm length 240 mm arm length 300 mm
	65-430A-1V	<b>Pole Mount with Variable Height Arm</b> vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt/ swivel function
		arm length 400 mm

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
	65-53024A-1V 65-53030A-1V	<p><b>Pole Mount with Variable Height Arm and Extension</b>                      vertical and horizontal swivel function                      parallel linkage for a constant viewing angle                      monitor adaptation with tilt/ swivel function</p> <p>pole Ø 20 – 40 mm</p> <p>arm length 400 mm, extension 240 mm                      arm length 400 mm, extension 300 mm</p>

## Extension Kit for Variable Height Arms

Bottom-mounted devices which are mounted to Variable Height Arms in a 90° angle to the arm with the arm placed in the lowest position may collide with the arm.

In this case an extension is mounted between the arm and the monitor adaptation.


Illustration	Part no.	Description
	65-EXT	<p><b>Extension</b></p> <p>to mount between monitor adaptation and support arm</p>

# EquiSys Cable Integrated Mounting System



## Partly Integrated Cable Management with Variable Height Arms

Cables with Variable Height Arms may be either completely integrated (running through joints) or partly integrated. In this case cables run within the aluminium profile with cable pass-thru.

Illustration	Part no.	Description
 A technical illustration showing a blue plastic component being attached to a grey aluminum profile. A circular inset provides a close-up view of the profile's internal structure, showing a channel with a red and yellow cable passing through it. The profile is mounted to a vertical surface.	65-HVK	<b>Aluminum Profile with Cable Pass-Thru</b> for variable height arms
w/o illustration	65-VLK-24 65-VLK-30	<b>Profile with Cable Pass-Thru</b> for extension arm L 240 mm L 300 mm

# EquiSys Cable Integrated Mounting System



## Shelves and Consoles with Drawers

Illustration	Part no.	Description
	75-001-02	<b>Console with Drawer</b> for European rails 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm  W 400 x D 420 mm
	75-001-01V	<b>Console with Drawer</b> for poles Ø 20 – 40 mm  W 400 x D 420 mm
	75-001-04	<b>Console with Drawer</b> to attach to CIM wall channel or existing wall channel  W 400 x D 420 mm

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
 A 3D perspective illustration of a grey counter top with a blue VESA mount on top. The counter has a front panel with a handle and a locking mechanism on the right side.		<p><b>Counter Top</b></p> <p>available in different heights</p> <p>for patient monitors and flat panels with VESA standard</p> <p>can be mounted to all shelves and consoles (those must be ordered separately).</p>
 A 3D perspective illustration of a white shelf with a metal frame and a locking mechanism on the right side.	75-002-02	<p><b>Shelf</b></p> <p>for European rails 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm</p> <p>W 400 x D 420 mm</p>
 A 3D perspective illustration of a white shelf with a metal frame and a locking mechanism on the right side, similar to the previous shelf but with a different mounting bracket.	75-002-01V	<p><b>Shelf</b></p> <p>for poles <math>\varnothing</math> 20 – 40 mm</p> <p>W 400 x D 420 mm</p>
 A 3D perspective illustration of a white shelf with a metal frame and a locking mechanism on the right side, designed for wall channel attachment.	75-002-04	<p><b>Shelf</b></p> <p>to attach to wall channel</p> <p>W 400 x D 420 mm</p>

# EquiSys Cable Integrated Mounting System



HPL surface (High Pressed Laminate) is scratch-proof and resistant against detergents. Four different standard colours are available.



yellow-green  
NSC S1060-G60Y



lagune  
NSC 1040-G



ice-blue  
NSC 1005-R90B



white  
NSC 0502-G50Y

Please add the colour code to each part no.:

yellow-green	-G
lagune	-L
ice-blue	-F
white	-W

# EquiSys Cable Integrated Mounting System



## Accessories

Illustration	Part no.	Description
	<p>65-14-4 65-14-2 65-14-1</p>	<p><b>Power Supply Holster (Universal Mount)</b> to mount to CIM wall channel or existing wall channel to attach to European Rail 10 x 25 mm to attach to poles Ø 25 mm/ 38 mm</p>
	<p>65-51-2 65-51-4  65-52-2 65-52-4</p>	<p><b>Basket</b> W 300 x D 200 x H 180 mm to attach to European Rail with quick release clamp to mount to CIM wall channel or existing wall channel  W 200 x D 150 x H 100 mm to attach to European Rail with quick release clamp to mount to CIM wall channel or existing wall channel</p>
	<p>65-51-7 65-52-7  65-2128  65-2127</p>	<p><b>Swivel Basket</b> W 300 x D 200 x H 180 mm W 200 x D 150 x H 100 mm  to attach to support arm  <b>Cable Hook</b> to mount to wall channel  <b>Cable Hook</b> to mount to basket down post</p>
	<p>65-2129</p>	<p><b>Cable Hook</b> to mount to support arm</p>

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
	65-2130	<p><b>Set of Cable Clips</b>                      (10) cable clips in 3 different sizes                      self-adhesive</p> <p>Minimum order quantity: 5 sets</p>
	65-2131	<p><b>Cable Clips</b>                      self-adhesive</p> <p>Minimum order quantity: 30 pieces</p>
	65-0048 65-0072 65-0096 65-0120	<p><b>Wall Channel</b>                      including channel cover</p> <p>length 480 mm                      length 720 mm                      length 960 mm                      length 1200 mm</p> <p>Please ask for special length if required.</p>
	65-DP-15 65-DP-24 65-DP-30	<p><b>Handle Bar</b>                      suitable to mount below front joint of the arm</p> <p>length 150 mm                      length 240 mm                      length 300 mm</p>

# EquiSys Cable Integrated Mounting System



---

## Terms of Delivery and Payment

Payment: 30 days net  
Delivery: ex works  
Packaging:

## Minimum Order Quantity

## Customizing of Products

If you need specific and custom-designed solutions, please feel free to contact us.

## Not included in delivery

Monitor-specific adapter plates which may be required are available depending on monitor type.

## Exclusive US Distributor:

Surgimed Solutions, LLC  
27 Siemon Company Drive  
Suite 104W  
Watertown, CT 06795  
T (860)274-5900- F (860)274-5906  
Email: [info@surgimedolutions.com](mailto:info@surgimedolutions.com)  
[www.surgimedolutions.com](http://www.surgimedolutions.com)