



***EquiSys Cable Integrated Mounting System***  
***Mounting Reference Guide***  
***for Philips***

Valid from January 2010

# EquiSys Cable Integrated Mounting System



---

## Content

1.	General Notes .....	page 3
2.	European Rail Mounts for IntelliVue MP 20/ 30/ 40/ 50/ 60/ 70 .....	4
3.	Wall Mounts for IntelliVue MP 20/ 30/ 40/ 50/ 60/ 70 .....	5
4.	Pole Mounts for IntelliVue MP 20/ 30/ 40/ 50/ 60/ 70 .....	6
5.	Mounting Solutions for IntelliVue MP 80/ 90 .....	7
6.	European Rail Mounts for Sure Signs/ Vital Signs.....	8
7.	Wall Mounts for Sure Signs/ Vital Signs .....	9
8.	Pole Mounts for Sure Signs/ Vital Signs .....	9
9.	Mounting Solutions for Avalon .....	10
10.	Extension Kit for Variable Height Arms .....	11
11.	Partly Integrated Cable Management with Variable Height Arms .....	12
13.	Shelves and Consoles with Drawers .....	13
14.	Accessories .....	16
15.	Terms of Delivery and Payment .....	18

# EquiSys Cable Integrated Mounting System



## General Notes

Each support arm system consists of (3) components:

1. Adaptation
  - 1.1 European horizontal rail DIN 25 x 10, 30 x 10, 35 x 8, 50 x 8
  - 1.2 Scandinavian rail Uniflex, Duoflex and Modura
  - 1.3 Vertical rail 10 x 25 mm
  - 1.4 Wall channel
  - 1.5 Pole/ post 20 – 40 mm or 40 – 60 mm
  - 1.6 Customer specific adaptation
  
2. Support Arm
  - 1.1 Standard
  - 1.2 Pivot
  - 1.3 Articulating
  - 1.4 Variable Height Arm

Various arm lengths available.
  
3. Monitor adaptation
  - 3.1 Bottom mounted adaptations
  - 3.2 Rear mounted adaptations (flat panels, VESA application)

Monitor adaptation with tilt and swivel function.

## Accessories

A wide range of optional accessories like cable hooks, mounts module housings or power supply holsters are available.

## Maximum Weight

The maximum weight indicated on each support arm holds a 6-fold safety factor.

## CE Mark

All CIM products are CE marked and comply with the MDD 93/ 42 ECC.



# EquiSys Cable Integrated Mounting System



## European Rail Mount for IntelliVue MP 20/ 30/ 40/ 50/ 60/ 70



Illustration	Part no.	Description
	65-124PH-2 65-130PH-2	<p><b>European Rail Mount Standard</b>                      support arm fixed at the rail plate                      monitor adaptation with tilt and swivel function,                      prepared for Philips Table Top Mount                      rail clamp with quick release</p> <p>DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10</p>
	65-124PH-2K 65-130PH-2K	arm length 240 mm arm length 300 mm
		Uniflex, Duoflex, Modura
	65-224PH-2 65-230PH-2	<p><b>European Rail Mount Pivot</b>                      with swivel point at the rail plate                      monitor adaptation with tilt and swivel function,                      prepared for Philips Table Top Mount                      rail clamp with quick release</p> <p>DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10</p>
	65-224PH-2K 65-230PH-2K	arm length 240 mm arm length 300 mm
		Uniflex, Duoflex, Modura
	65-430PH-2	<p><b>European Rail Mount with Variable Height Arm</b>                      vertical and horizontal swivel function                      parallel linkage for a constant viewing angle                      monitor adaptation with tilt and swivel function,                      prepared for Philips Table Top Mount                      rail clamp with quick release</p> <p>DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10</p>
	65-430PH-2K	arm length 400 mm
		Uniflex, Duoflex, Modura

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
		<b>European Rail Mount with Variable Height Arm and Extension</b> vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function, prepared for Philips Table Top Mount rail clamp with quick release  DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10
	65-53024PH-2	arm length 400 mm, extension 240 mm
	65-53030PH-2	arm length 400 mm, extension 300 mm
		Uniflex, Duoflex, Modura
	65-53024PH-2K	arm length 400 mm, extension 240 mm
	65-53030PH-2K	arm length 400 mm, extension 300 mm

## Wall Mount for IntelliVue MP 20/ 30/ 40/ 50/ 60/ 70

Illustration	Part no.	Description
		<b>Wall Mount Pivot</b> to mount to CIM wall channel or existing wall channel support arm with swivel point at the wall channel monitor adaptation with tilt and swivel function, prepared for Philips Table Top Mount
	65-224PH-4	arm length 240 mm
	65-230PH-4	arm length 300 mm
	65-0048	<b>Wall Channel</b> length 480 mm, including channel cover
		<b>Wall Mount with Variable Height Arm</b> to mount to CIM wall channel or existing wall channel vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function, prepared for Philips Table Top Mount
	65-430PH-4	arm length 400 mm
	65-0048	<b>Wall Channel</b> length 480 mm, including channel cover

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
	65-53024PH-4	<b>Wall Mount with Variable Height Arm and Extension</b> to mount to CIM wall channel or existing wall channel vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function, prepared for Philips Table Top Mount
	65-53030PH-4	arm length 400 mm, extension 240 mm arm length 400 mm, extension 300 mm
	65-0048	<b>Wall Channel</b> length 480 mm, including channel cover

## Pole Mounts for IntelliVue MP 20/ 30/ 40/ 50/ 60/ 70

Illustration	Part no.	Description
	65-124PH-1V	<b>Pole Mount Standard</b> fixed at the pole adapter monitor adaptation with tilt and swivel function, prepared for Philips Table Top Mount
	65-130PH-1V	arm length 240 mm arm length 300 mm
	65-224PH-1V	<b>Pole Mount Pivot</b> swivel point at the pole adapter monitor adaptation with tilt and swivel function, prepared for Philips Table Top Mount
	65-230PH-1V	arm length 240 mm arm length 300 mm
	65-430PH-1V	<b>Pole Mount with Variable Height Arm</b> vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt/ swivel function, prepared for Philips Table Top Mount
		arm length 400 mm

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
	65-53024PH-1V 65-53030PH-1V	<p><b>Pole Mount with Variable Height Arm and Extension</b>                      vertical and horizontal swivel function                      parallel linkage for a constant viewing angle                      monitor adaptation with tilt/ swivel function,                      prepared for Philips Table Top Mount</p> <p>pole Ø 20 – 40 mm</p> <p>arm length 400 mm, extension 240 mm                      arm length 400 mm, extension 300 mm</p>

## Mounting Solutions for IntelliVue MP 80/ 90

Illustration	Part no.	Description
	65-PH-001	<p><b>Wall Mount for 80/ M8008</b>                      to mount to CIM wall channel or existing wall channel</p> <p>shown here with support column</p>
	65-PH-002	<p><b>Spilling Shield</b>                      to mount to CIM wall channel or existing wall channel</p>

Please refer to IT Mounting Reference Guide for mounting solutions suitable for MP 90.

# EquiSys Cable Integrated Mounting System



## European Rail Mounts for Sure Signs/ Vital Signs

Illustration	Part no.	Description	
		<b>European Rail Mount Standard</b> support arm fixed at the rail plate monitor adaptation with tilt and swivel function rail clamp with quick release	
		DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10	
	65-124A-2	arm length 240 mm	
	65-130A-2	arm length 300 mm	
		Uniflex, Duoflex, Modura	
	65-124A-2K	arm length 240 mm	
	65-130A-2K	arm length 300 mm	
	65-PH-SS	<b>Mounting Adapter</b> for Sure Signs/ Vital Signs	
			<b>European Rail Mount Pivot</b> with swivel point at the rail plate monitor adaptation with tilt and swivel function rail clamp with quick release
			DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10
65-224A-2		arm length 240 mm	
65-230A-2		arm length 300 mm	
		Uniflex, Duoflex, Modura	
	65-224A-2K	arm length 240 mm	
	65-230A-2K	arm length 300 mm	
	65-PH-SS	<b>Mounting Adapter</b> for Sure Signs/ Vital Signs	
			<b>European Rail Mount with Variable Height Arm</b> vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function rail clamp with quick release
			DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10
65-430A-2		arm length 400 mm	
		Uniflex, Duoflex, Modura	
65-430A-2K		arm length 400 mm	
	65-PH-SS	<b>Mounting Adapter</b> for Sure Signs/ Vital Signs	

# EquiSys Cable Integrated Mounting System



## Wall Mounts for Sure Signs/ Vital Signs


Illustration	Part no.	Description
	<p>65-224A-4 65-230A-4  65-0048  65-PH-SS</p>	<p><b>Wall Mount Pivot</b> to mount to CIM wall channel or existing wall channel support arm with swivel point at the wall channel monitor adaptation with tilt and swivel function</p> <p>arm length 240 mm arm length 300 mm</p> <p><b>Wall Channel</b> length 480 mm, including channel cover</p> <p><b>Mounting Adapter</b> for Sure Signs/ Vital Signs</p>
	<p>65-430A-4  65-0048  65-PH-SS</p>	<p><b>Wall Mount with Variable Height Arm</b> to mount to CIM wall channel or existing wall channel vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt and swivel function</p> <p>arm length 400 mm</p> <p><b>Wall Channel</b> length 480 mm, including channel cover</p> <p><b>Mounting Adapter</b> for Sure Signs/ Vital Signs</p>


## Pole Mounts for Sure Signs/ Vital Signs

Illustration	Part no.	Description
	<p>65-124A-1V 65-130A-1V  65-PH-SS</p>	<p><b>Pole Mount Standard</b> fixed at the pole adapter monitor adaptation with tilt and swivel function</p> <p>pole Ø 20 – 40 mm</p> <p>arm length 240 mm arm length 300 mm</p> <p><b>Mounting Adapter</b> for Sure Signs/ Vital Signs</p>

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
		<b>Pole Mount Pivot</b> swivel point at the pole adapter monitor adaptation with tilt and swivel function  pole Ø 20 – 40 mm
	65-224A-1V	arm length 240 mm
	65-230A-1V	arm length 300 mm
	65-PH-SS	<b>Mounting Adapter</b> for Sure Signs/ Vital Signs


		<b>Pole Mount with Variable Height Arm</b> vertical and horizontal swivel function parallel linkage for a constant viewing angle monitor adaptation with tilt/ swivel function  pole Ø 20 – 40 mm
	65-430A-1V	arm length 400 mm
	65-PH-SS	<b>Mounting Adapter</b> for Sure Signs/ Vital Signs


## Mounting Systems for Avalon

Illustration	Part no.	Description
		<b>European Rail Mount Pivot</b> with swivel point at the rail plate monitor adaptation with tilt and swivel function rail clamp with quick release  DIN rail 25 x 10, 30 x 10, 35 x 8, 50 x 10
	65-230A-2	arm length 300 mm
		Uniflex, Duoflex, Modura
	65-230A-2K	arm length 300 mm
	65-PH-AV	<b>Mounting Adapter</b>

# EquiSys Cable Integrated Mounting System




Illustration	Part no.	Description
		<b>Flush Mount</b> to mount to CIM wall channel or existing wall channel
	65-910A-4	arm length 100 mm
	65-0048	<b>Wall Channel</b> length 480 mm, including channel cover
	65-PH-AV	<b>Mounting Adapter</b>
	65-51-4	<b>Basket</b> (see accessories)

		<b>Wall Mount Pivot</b> to mount to CIM wall channel or existing wall channel support arm with swivel point at the wall channel monitor adaptation with tilt and swivel function
	65-230A-4	arm length 300 mm
	65-0048	<b>Wall Channel</b> length 480 mm, including channel cover
	65-PH-AV	<b>Mounting Adapter</b>

## Extension Kit for Variable Height Arms

Bottom-mounted devices which are mounted to Variable Height Arms in a 90° angle to the arm with the arm placed in the lowest position may collide with the arm.

In this case an extension is mounted between the arm and the monitor adaptation.

Illustration	Part no.	Description
	65-EXT	<b>Extension</b>  to mount between monitor adaptation and support arm

# EquiSys Cable Integrated Mounting System



## Partly Integrated Cable Management with Variable Height Arms

Cables with variable height arms may be either completely integrated (running through joints) or partly integrated. In this case cables run within the aluminium profile with cable pass-thru.

Illustration	Part no.	Description
	65-HVK	<b>Aluminum Profile with Cable Pass-Thru</b> for variable height arms
w/o illustration	65-VLK-24 65-VLK-30	<b>Profile with Cable Pass-Thru</b> for extension arm L 240 mm L 300 mm

# EquiSys Cable Integrated Mounting System



## Shelves and Consoles with Drawers

Illustration	Part no.	Description
 A 3D perspective illustration of a dark grey console with a white drawer. The console has a rectangular shape with rounded corners. It features a white drawer with a handle on the front. The top surface is flat and has a small blue component on the right side. The bottom edge has a small black component on the right side.	75-001-02	<b>Console with Drawer</b> for European rails 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm  W 400 x D 420 mm
 A 3D perspective illustration of a dark grey console with a white drawer. The console has a rectangular shape with rounded corners. It features a white drawer with a handle on the front. The top surface is flat and has a small blue component on the right side. The bottom edge has a small black component on the right side.	75-001-01V	<b>Console with Drawer</b> for poles Ø 20 – 40 mm  W 400 x D 420 mm
 A 3D perspective illustration of a dark grey console with a white drawer. The console has a rectangular shape with rounded corners. It features a white drawer with a handle on the front. The top surface is flat and has a small blue component on the right side. The bottom edge has a small black component on the right side.	75-001-04	<b>Console with Drawer</b> to attach to CIM wall channel or existing wall channel  W 400 x D 420 mm

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
 A 3D perspective illustration of a grey counter top with a blue VESA mount on top. The counter has a front panel with a handle and a locking mechanism on the right side.		<b>Counter Top</b> available in different heights  for patient monitors and flat panels with VESA standard  can be mounted to all shelves and consoles (those must be ordered separately).
 A 3D perspective illustration of a white shelf with a metal frame and a locking mechanism on the right side.	75-002-02	<b>Shelf</b> for European rails 10 x 25, 8 x 35, 10 x 30, 10 x 50 mm  W 400 x D 420 mm
 A 3D perspective illustration of a white shelf with a metal frame and a locking mechanism on the right side, similar to the previous shelf but with a different locking mechanism.	75-002-01V	<b>Shelf</b> for poles $\varnothing$ 20 – 40 mm  W 400 x D 420 mm
 A 3D perspective illustration of a white shelf with a metal frame and a locking mechanism on the right side, similar to the previous shelves but with a different locking mechanism.	75-002-04	<b>Shelf</b> to attach to wall channel  W 400 x D 420 mm

# EquiSys Cable Integrated Mounting System



HPL surface (High Pressed Laminate) is scratch-proof and resistant against detergents. Four different standard colours are available.



yellow-green  
NSC S1060-G60Y



lagune  
NSC 1040-G



ice-blue  
NSC 1005-R90B



white  
NSC 0502-G50Y

Please add the colour code to each part no.:

yellow-green	-G
lagune	-L
ice-blue	-F
white	-W

# EquiSys Cable Integrated Mounting System



## Accessories

Illustration	Part no.	Description
	<p>65-14-4 65-14-2 65-14-1</p>	<p><b>Power Supply Holster (Universal Mount)</b> to mount to CIM wall channel or existing wall channel to attach to European Rail 10 x 25 mm to attach to poles Ø 25 mm/ 38 mm</p>
	<p>65-51-2 65-51-4  65-52-2 65-52-4</p>	<p><b>Basket</b> W 300 x D 200 x H 180 mm to attach to European rail with quick release clamp to mount to CIM wall channel or existing wall channel  W 200 x D 150 x H 100 mm to attach to European rail with quick release clamp to mount to CIM wall channel or existing wall channel</p>
	<p>65-51-7 65-52-7  65-2128 65-2127</p>	<p><b>Swivel Basket</b> W 300 x D 200 x H 180 mm W 200 x D 150 x H 100 mm  to attach to support arm  <b>Cable Hook</b> to mount to wall channel  <b>Cable Hook</b> to mount to basket down post</p>
	<p>65-2129</p>	<p><b>Cable Hook</b> to mount to support arm</p>

# EquiSys Cable Integrated Mounting System



Illustration	Part no.	Description
	65-2130	<p><b>Set of Cable Clips</b>                      (10) cable clips in 3 different sizes                      self-adhesive</p> <p>Minimum order quantity: 5 sets</p>
	65-2131	<p><b>Cable Clips</b>                      self-adhesive</p> <p>Minimum order quantity: 30 pieces</p>
	65-0048 65-0072 65-0096 65-0120	<p><b>Wall Channel</b>                      including channel cover</p> <p>length 480 mm                      length 720 mm                      length 960 mm                      length 1200 mm</p> <p>Please ask for special length if required.</p>
	65-DP-15 65-DP-24 65-DP-30	<p><b>Down Post for Flexible Module Server</b>                      suitable to mount below monitor front of arms</p> <p>length 150 mm                      length 240 mm                      length 300 mm</p>

# EquiSys Cable Integrated Mounting System



---

## Terms of Delivery and Payment

Payment: 30 days net  
Delivery: ex works  
Packaging:

## Minimum Order Quantity

## Customizing of Products

If you need specific and custom-designed solutions, please feel free to contact us.

## Not included in delivery

Monitor specific adapter plates which may be required are available depending on monitor type.

## Exclusive US Distributor:

Surgimed Solutions, LLC  
27 Siemon Company Drive  
Suite 104W  
Watertown, CT 06795  
T (860)274-5900- F (860)274-5906  
Email: [info@surgimedolutions.com](mailto:info@surgimedolutions.com)  
[www.surgimedolutions.com](http://www.surgimedolutions.com)